



OCTOBER 2026

Electrical

Products & Solutions™

The Purchasing Guide for Electrical Contractors

www.epsmag.net

**Don't Let Electrical
Fittings Be the Weak Link
in Data Center Energy
Infrastructures**

CANNON 12K

**THE TOUGHEST
WIRE PULLER YOU'LL EVER USE!**

EXTRA EXTENSIONS:
giving you up to 13' of wire from
the conduit opening.

SIX SPEEDS:
Dual capstans with 3 speeds
on each AND reverse gear!



12,000 Lb. pulling capacity.



Dual capstans with a 3
speed motor.



Overhead, underground
and side pull capabilities.

We're Proud to be the Electricians' Friend for Over 50 Years!

**NEW
PRODUCT!**

IP10a

EZ STUB-UP

Join two EZ Stub-Ups
with strut to support and
secure multiple stub-ups
on wooden forms before
concrete pour for sizes
1/2", 3/4", 1" & 1-1/4"
stub-ups with SP's Nylon
Support Brackets and
transition to RGB with
our transition couplings.

IP1

Qwik Duct Safer Better Faster

**IP3b
IP3c**

HDPE CUSTOM TEMPLATES
In Any Configuration Required



Patent
Pending

PVC Offset

Sizes 1/2" thru 6"
Meets Flexible
Madel Test
Requirements





Patent
Pending

Bore Spacers

Sizes 1/2" thru 6"
Roll assembled conduit
into caissons and under
obstructions

IP2a



IP13a-p

Conduit Transition Couplings



PVC schedule 40 & 80
*Transitions in Less Than
5 Minutes*

Patent
Pending



PVC/Liquidtight

IP3a

**End Bell
Adapter**
Schedule
40/80 PVC



Patent
Pending



PVC/MC Cable




PVC/EMT



PVC/PVC



PVC/Stainless



PVC/Aluminum



Bell End/Rigid



PVC Slip/Rigid



IP15

**1 Piece
Reaming Bit**
1/2" thru 6"
Schedule 40/80

Patent
Pending

Save Cost on the Rigid Nipple, Tape & Labor
Use for Entire Job - Not Just for Repair

Plus More Being Invented for SAFER BETTER FASTER Jobs . . . Call With Your Ideas!

Electrical Products & Solutions™
issue sponsors



COMPANY PROFILE

6 Protect Yourself
Miller Safety Consultants —
A Leader in Arc Flash Protection
BY VINCENT MILLER

COVER STORY

**8 Don't Let Electrical Fittings
Be the Weak Link in Data Center
Energy Infrastructures**
BY FRANK CUNNINGHAM

DEPARTMENTS

- 16** INDUSTRY NEWS
- 24** NEW PRODUCTS
- 32** AD INDEX

ON THE COVER

Photo courtesy of PIXABAY



Electrical
Products & Solutions™
The Purchasing Guide for Electrical Contractors www.epsmag.net

PUBLISHER
Danny J. Salchert

OFFICE MANAGER
Anita Salchert

CREATIVE DIRECTOR
Derek Gaylard

CONTRIBUTING WRITERS
Vincent Miller
Frank Cunningham



PRESIDENT
Danny J. Salchert

**EXECUTIVE AND
ADVERTISING OFFICES**
2009 Eagle Ridge Drive
Birmingham, AL 35242
phone: 205.981.4541
www.epsmag.net
danny@epsmag.net

Electrical Products & Solutions™ is published twelve times a year on a monthly basis by ABD Communications, Inc., 3591 Cahaba Beach Road, Birmingham, Alabama, 35242, USA. *Electrical Products & Solutions™* is distributed free to qualified subscribers. Non-qualified subscription rates are \$57.00 per year in the U.S. and Canada and \$84.00 per year for foreign subscribers (surface mail). U.S. Postage paid at Birmingham, Alabama and additional mailing offices. *Electrical Products & Solutions™* is distributed to qualified readers in the electrical contracting industry. Publisher is not liable for all content (including editorial and illustrations provided by advertisers) of advertisements published and does not accept responsibility for any claims made against the publisher. It is the advertiser's or agency's responsibility to obtain appropriate releases on any item or individuals pictured in an advertisement. Reproduction of this magazine in whole or in part is prohibited without prior written permission from the publisher.

FOLLOW US ON



BASETEK
L L C

ZANITE PLUS POLYMER COMPOSITE
A base you can build on.

Call us today **877.712.2273**

PRECAST POLYMER HOUSEKEEPING PADS

- **Customized** to fit your exact project
- **4X Stronger** than traditional concrete pads
- **Rapid Installation** and Labor Savings
- **Stainless Steel** inserts for mounting equipment to the pad
- **Counter Bore** anchoring to existing concrete
- **Excellent** Corrosion Resistance
- **Flexibility and Options:**
 - Bottom access
 - Exact sizes
 - Dedicated handling and lifting

SET YOUR PRECAST POLYMER PAD AND MOUNT YOUR EQUIPMENT THE SAME DAY!

GO GREEN
environmentally friendly
Reuseable — just unbolt and move

For more visit
basetek.com or
info@basetek.com

TOP PRODUCTS
Electrical Products & Solutions
2025

Built to last and outperform. We guarantee it.

©2025 BaseTek, LLC., Zanite Plus is a registered trademark of BaseTek LLC.

REPAIR CONDUIT IN A SNAP!

No Tape • No Plastic Straps • No Metallic Straps

NO KIDDING!

*Designed especially for power, communications
and fiber optics.*



"The World Leader In Split Conduit Products"



Conduit Repair Systems, Inc.

The World Leader In Split Conduit Products



800.670.1804 • 435.673.8724 fax • crs@conduitrepair.com • www.conduitrepair.com

THE SECRET TO UNDERGROUND POWER TRANSMISSION



OUR WUNPEECE TRANSMISSION SPACERS REDEFINE THE INDUSTRY STANDARD
FOR UNDERGROUND POWER TRANSMISSION INSTALLATIONS.
WITH PRECISION ENGINEERING AND UNMATCHED QUALITY,

JOIN THE RANKS OF INDUSTRY LEADERS WHO TRUST
UNDERGROUND DEVICES FOR THEIR POWER TRANSMISSION NEEDS.



VISIT WWW.UDEVICES.COM

AND EXPERIENCE THE FUTURE OF UNDERGROUND POWER INSTALLATION

Protect Yourself

Miller Safety Consultants — A Leader in Arc Flash Protection

Vince Miller started Miller Safety Consultants, a veteran owned business in 1999. The goal of the business was to provide cost effective safety consulting, employee training such as: confined space entry, fall protection, electrical safety and provide sales of electrical shock and flash protective equipment and fall protection equipment to businesses in the Washington DC area.

Reliance Industries provided fall protection products and much of the sales and training was on behalf of the supplier. In 2000, the owner decided to retire from his business, and Vince decided to discontinue the fall protection line of his business and concentrate more in the electrical training and products.

Vince had been a distributor for Certified Insulated Products (CIP), a manufacturer of electrical insulated tools and electrical arc flash clothing manufactured by Otex in Rochester, New York. As a distributor, Vince provided sales through his internet website and much through relationships with electrical contractors. His training was a classroom environment and was provided directly to customers but he also taught as a sub-contractor for other safety consulting companies and the

Chesapeake Safety Council in Baltimore, Maryland. In 2005, Vince partnered with Vivid Learning Systems in Cascades, Washington to provide on-line training in safe work practices.

Training in electrical safe work practices is still provided locally in the Washington DC area and as a partner with an electrical engineering firm and online. The training is based on the Occupational Health and Safety Administration (OSHA) standards and the National Fire Protection Association (NFPA) 70E standard.

Miller Safety Consultants is now a distributor for Cementex USA, Burlington, New Jersey, for insulated tools and equipment and clothing from OTEX Protective, Rochester, New York.

The majority of his sales of products

are from the web-based store. Cementex is nationally known for their quality equipment. Otex Protective is becoming more known for their quality clothing. For years, they have manufactured their products under other provider labels. Vince chose to not create his clothing line, but to sell the manufacturer product.

Vince has worked with many electrical company employees to fine-tune the clothing to be more comfortable for the user. Working closely with the manufacturer, they have made slight changes in how the cloth pattern was modified to meet final production. An example is the lightweight 40 Calorie vented hood offered by Otex.

The material is of the latest technology. The vented assembly is constructed for balance on the back of the hardhat and the airflow is 27 CFM to prevent fogging of the face shield and provide cooling to the worker. It took over a year to develop the product with the user prior to having the hood “flash tested”. This product is now standard issue with many electrical contractors.

Being a small business and having quality providers has resulted in satisfied customers for Miller Safety Consultants. Being a direct supplier for OTEX Protective, another small business means customized customer needs can be met. □

For more information, visit
Miller Safety Consultants at:
www.electricalsafetyequipment.com, email
Vince at: sales@millersafetyltd.com.

AUTHORIZED
Cementex
The Safety Tool Specialists
DISTRIBUTOR

Give Vince a call at
(703) 367-0404



Deluxe Maintenance Tool Kit



Class O Glove Kit

Protect yourself from “Arc Flash”



We offer two lightweight 40 cal rated systems for employee protection -
PYRAD® Technology by GORE-TEX LABS, single layer and the two layer HYBRID (Protera/Indura) models.
Our unique ION-1 ventilation system uses Milwaukee’s M12 battery and the ION-2 ventilation system
uses an internal rechargeable battery and variable speed control.



Both lift hoods feature 25+ CFM ventilators.
Adding the patented arc flash sensor automatically
disconnects the fan power to stop the air flow and
maintain a safe breathing zone within the hood.



CALL US TODAY

(703) 367-0404

OR VISIT OUR ONLINE ELECTRICAL SAFETY EQUIPMENT STORE
www.electricalsafetyequipment.com



Don't Let Electrical Fittings Be the Weak Link in Data Center Energy Infrastructures

Data centers are being reshaped by artificial intelligence, cloud expansion, and massive hyperscale investment — yet a single bad connection can bring operations to a standstill

BY **FRANK CUNNINGHAM**,
SENIOR PRODUCT MARKETING MANAGER,
EMERSON | APPLETON GROUP

Today, there are approximately 12,200 data centers operating worldwide with thousands more slated to come online in the coming years. Global capacity is projected to nearly double by 2030 with AI and hyperscale cloud demand driving most of that new build-out. Along with new construction, existing data centers are scaling their operations, adding more high-density servers and storage devices to meet vast computational needs.

Not surprisingly, data center energy requirements are growing at the same breakneck pace. Data centers consume up to 50 times as much electricity per square foot as conventional offices, making them one of the most energy-

intensive building types. In 2023, energy usage by U.S. data centers reached 176 TWh, representing 4.4% of overall electricity consumption in the U.S. By 2030, data center energy use is expected to quadruple, primarily due to the use of accelerated servers for AI services.

This insatiable appetite for power puts enormous strain on data center electrical infrastructure, yet the components under the most scrutiny are rarely the ones that actually determine reliability. Multi-megawatt UPS systems and switchgear get the attention, but a power distribution system is only as strong as its smallest connection point. Conduit bodies, unions, couplings, elbows, cord grips, cable glands, hubs, bushings, tray cable accessories, outlet boxes and






Photo courtesy of PIXABAY

enclosures — these are the building blocks that hold the entire electrical path together, and they’re too often treated as commodities rather than critical hardware. A single substandard fitting or a poorly rated coupling can become the weak point in an otherwise redundant system: a source of arcing, corrosion, loosening under thermal cycling, or moisture ingress that no amount of UPS capacity can compensate for.

Redundancy buys resilience at the system level, but it can’t fix a failure born at the component level. That’s why specifying every element of the electrical infrastructure — down to the smallest connector — isn’t over-engineering. It’s the difference between planned uptime and an unplanned outage.

WHAT IS A DATA CENTER

Before diving in, it’s worth understanding what a data center is and how dramatically that definition has evolved in just the past few years.

Data centers have always been the quiet infrastructure behind the digital world. These windowless concrete

fortresses house the servers, storage systems, and GPUs that keep modern business running, backed by the cooling, backup power, and physical security that make them mission-critical environments. Data centers span an enormous size range, from a few-hundred-square-foot server room to mega-campuses like Switch’s Citadel Campus in Nevada, designed to reach up to 7.2 million square feet at full build-out.

Data centers themselves aren’t new. What’s new is what they’re built for. A decade ago, these facilities were largely storing files and serving websites. Today, they’re training and running AI, a workload that demands a step-change in power density, and with it, a step-change in the quality and reliability of the hardware infrastructure behind it.

HOW DATA CENTERS ARE POWERED

The largest hyperscale and AI data center campuses routinely draw between 100 MW and 500 MW, which translates to millions of kilowatt-hours a day and

easily matches the continuous power demand of a small or mid-sized city. Where does this power come from?

Most data centers rely on the local electrical grid. Electricity drawn from the grid typically is stepped down to a lower voltage using transformers (480V or 208V). It’s then distributed throughout the facility via Uninterruptible Power Supplies (UPS), metered or unmetered Power Distribution Units (PDUs), and in many facilities, Remote Power Panels (RPPs) that break the PDU’s output into individual branch circuits. These branch circuits are routed to rack power distribution units (rPDUs) located within the server racks, where power is then delivered to the individual IT devices, completing the power distribution path. The UPS ensures immediate, redundant power in the event of a short interruption, along with protection against surges and sags. During extended outages, the data center may activate backup generators or redundant utility feeds. Another backup option is microgrids that integrate

light+
intelligent building
NORTH AMERICA

Conference: March 15, 2027
Exhibition: March 16 - 18, 2027
Las Vegas, NV


Where Lighting Connects
with the Entire Building.

Explore architectural and commercial lighting, intelligent building technologies, and components and accessories—all under one roof.

At Light + Intelligent Building North America, meet manufacturers, compare products firsthand, and discover solutions for your next project.



Scan to
Learn More



renewable energy sources.

Yet even the most robust power architecture isn't immune to failure. When redundancy measures fall short, the consequences ripple through the entire facility and they add up fast. Even a short power outage at a data center will interrupt the mission-critical applications it hosts. Longer power interruptions can corrupt data, or put a halt to cooling systems, leading to cascading failures including damaging servers and data storage devices.

Financial consequences are dire. A 2020 report pegged the average cost for a data center outage at \$12,900 per minute, rising to \$23,750 for larger enterprises. Industry surveys by ITIC reveal that 90% of mid-to-large enterprises face losses exceeding \$300,000 per hour. Within that group, 41% of enterprises report losing between \$1 million and \$5 million per

hour during a severe incident. Indirect costs linked to an outage can multiply expenses by adding data recovery and restoration fees, legal and compliance penalties, as well as lost productivity associated with employee downtime.

Depending upon its square footage, a data center may use several miles of cables for both AC and DC power distribution. High voltage cables (480V) distribute power throughout the facility to minimize energy loss over distance, while low voltage (120V, 208V) provides power to individual racks and IT equipment.

To guarantee effective power distribution and ease of maintenance, these cables must be protected, organized, and routed. This is achieved through a combination of structured cabling techniques, primarily the use of cable trays and pathways. Cable trays are preferred in data centers for their

heat dissipation and cost-effectiveness for large-scale cable deployments and expansions. Metal conduit runs are also common. In data centers, metal conduit serves three key roles: routing heavy-duty power distribution, protecting cabling mechanically in high-traffic utility areas, and shielding high-voltage lines from electromagnetic interference. Rather than being used throughout the facility, metal conduit is applied selectively — typically reserved for power and high-voltage runs, not standard low-voltage data lines.

In both cable trays and conduit runs, high-quality fittings are needed for several reasons. Well-constructed fittings will shield data and power cables from environmental elements like corrosive chemicals, moisture, and dust as well as physical damage. Fittings also contain electrical faults to prevent the spread of fire. When properly installed to navigate corners and transitions, fittings simplify maintenance and upgrades, while allowing for future expansion. In addition to maintaining system reliability, they are also necessary for compliance with the National Electrical Code, TIA-942, and local regulations.

WHERE ELECTRICAL FITTINGS ARE NEEDED

Whether it's routing main power feeds or supporting liquid cooling loops, electrical fittings play a critical role at every point of connection in the data center.

- **Main Power Feed:** High-voltage power cables are routed from the utility entry or backup generators to switchgear or main distribution panels.
- **Overhead Cable Trays:** Cable trays manage the high volume of cables required for power and network connectivity.
- **Power Distribution Units:** Conduit fittings are frequently needed for Power Distribution Units (PDUs) to arrange and safeguard wires that go to server racks or other equipment. Fittings ensure a compliant connection, particularly in the United States, where adherence to NFPA 70 Article 300 is essential.
- **Control Wiring:** Conduit protects control and sensor wiring for building



Appleton™ IJL LED Series Luminares

Versatile and Adaptable Illumination for Any Environment


Appleton™ IJL LED Luminares by Emerson are the premier jelly jar LED luminaires for industrial locations that offer versatile and adaptable illumination. With user selectable technology, they allow users to choose from a range of correlated color temperatures (CCT) and/or lumen outputs. Our engineers have developed specially designed optics that provide optimal light distribution – including upright. The IJL LED Luminares offer multiple mounting options such as wall, ceiling, and pendant, with an adjustable arm that allows precise rotation in 10° increments from 0° to 90°.

Learn More at: www.masteringled.com

APPLETON™

The Emerson logo is a trademark and a service mark of Emerson Electric Co. © 2024 Emerson Electric Co.

EMERSON™



systems, such as HVAC controls which regulate temperature and humidity

- **Power to Cooling:** Power cables are routed to Computer Room Air Conditioning (CRAC) devices or other cooling equipment via conduit or cable tray. Unlike standard HVAC, CRAC units are engineered for continuous operation, offering high-precision control to prevent overheating, static electricity buildup, or condensation that could damage equipment. Data center cooling systems commonly consume 30-50% of total electricity, as servers generate significant heat, requiring robust cooling to maintain optimal performance.
- **Liquid Cooling System:** Liquid cooling is important in high-density data centers where standard air cooling may not be sufficient. Liquidtight fittings seal out liquids to prevent damage to electrical wiring.
- **UPS Systems:** Conduit fittings

connect Uninterruptible Power Supplies (UPS) so they can provide dependable and secure power delivery to vital systems.

- **Environmental Monitoring:** Conduit-protected wire is frequently used to connect temperature, humidity, and water leak sensors to central monitoring systems.
- **Grounding:** Grounding wires can be routed via fittings, so racks, infrastructure, and equipment are properly grounded.
- **Surveillance:** To ensure safe and dependable operation, including in harsh outside areas, fittings are used to shield wiring for motion sensors, IP cameras, and access control systems.

FITTINGS: The Foundation of Power Infrastructure

In data centers, every component in the critical power path—from conduit bodies and couplings to cable glands—has a role to play in system reliability.

With major outages potentially costing hundreds of thousands or even millions of dollars, “good enough” fittings simply aren’t good enough.

Data centers built for tomorrow’s power densities will require fittings selected for the application, using appropriately certified components where required, along with materials and designs engineered to withstand corrosion, thermal cycling, liquids, vibration, and other demanding operating conditions. Specifying the right fittings is part of the same reliability strategy that drives decisions about generators, UPS systems, and other critical infrastructure. As data center power demand races toward more than doubling by 2030, the facilities built for long-term uptime won’t rely on redundancy alone. Reliability will depend on every part of the system, including the connections and fittings, to help keep critical infrastructure operating as designed. □



IWL LED Series Luminaires

Wall Pack LED Lighting for Industrial Facilities

The Appleton™ IWL LED Series Luminaires by Emerson are designed to provide safe illumination at outdoor entrance doors and along the exterior of commercial and industrial facilities. Three models — each with three field selectable wattages (lumen outputs) and three field selectable color temperatures — ensure the perfect configuration for your unique application requirements. Improve employee safety and security with the IWL’s bright, cost-efficient illumination.

[Learn More at: www.masteringled.com](http://www.masteringled.com)



LEDVANCE Marks 10 Years of Innovation and Growth Across the North American Lighting Market

From legacy manufacturer to full solutions provider, LEDVANCE enters its next decade with momentum

LEDVANCE is marking its 10th anniversary as an independent brand with a decade of sustained growth, expanded partnerships, and a product portfolio built around the real-world needs of contractors, distributors, specifiers and consumers across North America.

Built on the legacy of the SYLVANIA brand, LEDVANCE’s roots trace back more than a century to the early days of electric lighting innovation. From its origins in 1901 and the formation of Hygrade Sylvania in 1931, SYLVANIA helped pioneer advancements from incandescent and fluorescent technologies to modern energy-efficient lighting systems, establishing a foundation of engineering excellence and market leadership that continues to shape LEDVANCE’s direction today.

Since its formation as a carve-out from OSRAM in 2016, LEDVANCE has evolved from a traditional lighting manufacturer into a comprehensive solutions provider, spanning commercial and residential lighting, connected systems, outdoor and retrofit technologies, controls and drivers, and EV charging infrastructure through its PHASE EV platform.

“Ten years ago, we set out to build something unique. A brand that moves at the speed of the market and is backed by a dedicated team of lighting professionals delivering best-in-class service and innovative, reliable lighting solutions” said Jonathan Lubeck, CEO, LEDVANCE US. “The U.S market



remains a priority growth market for us, and this milestone reflects the trust our partners have placed in LEDVANCE over the past decade.”

That momentum is backed by independent industry recognition. This past August, LEDVANCE earned recognitions for the third consecutive year in the Illuminating Engineering Society’s 2026 Progress Report, one of the industry’s most respected benchmarks for lighting advancement. Seven products earned recognitions this year, including a new innovative line of Hazardous Location luminaires, Gas Canopy luminaire, and UFO High Bay High Temp luminaire.

Looking ahead, for LEDVANCE, the next phase of growth is about building on the SYLVANIA brands historic legacy while continuing to evolve and lead in an industry in transition.

LEDVANCE will continue investing in connected lighting ecosystems, smart controls, and EV infrastructure, with a focus on helping customers simplify projects, lower operating costs, and meet evolving energy-efficiency regulations.

To commemorate this occasion, LEDVANCE has unveiled its anniversary campaign, “Your Vision. Our Light.” As a natural iteration of the brand’s “Power Through Light” core, the campaign unites LEDVANCE’s innovative spirit and more than a century of lighting expertise, with a clear focus on the future and on what customers truly need. “Every incredible project starts with a vision, and LEDVANCE is the partner that brings these visions to life through illumination and innovation,” says Scott Buckley, Head of Marketing, LEDVANCE US. □

ABOUT LEDVANCE

With subsidiaries in more than 50 countries and business activities in over 140 countries, LEDVANCE is one of the world’s leading companies in general lighting for professional customers and end users. In North America, LEDVANCE builds on a legacy rooted in the SYLVANIA brand and delivers a broad portfolio of LED luminaires for commercial, industrial, and outdoor applications, intelligent lighting products for smart homes and smart buildings, and EV chargers. LEDVANCE also offers one of the industry’s most comprehensive selections of advanced LED and traditional lamps. From luminaires to smart lighting and EV charging, LEDVANCE helps customers deliver modern solutions with confidence. For more information, visit www.ledvance.com.



The Heavy Duty Nonmetallic CABLE RACK

For Power and Communications Manholes And Vaults



PRODUCT FEATURES:

- High Load Capacity
- Will Not Rust or Corrode
- No Grounding or Bonding
- Insulators Not Required
- Excellent Dielectric Properties
- Molded from UL Listed Glass Reinforced Polymer




HDL Arm Lock shown with RA04 Arm and CR36-B Stanchion



3HDS - 3" throat saddle shown with a cable secured by cable ties.



RA08 - 8" arm shown with three cables secured by cable ties.



US PATENT No. 7,140,500
CANADIAN PATENT Nos. 2,486,904 - 2,640,899

UNDERGROUND DEVICES
INCORPORATED



420 ACADEMY DRIVE
NORTHBROOK, IL 60062
Phone: 847-205-9000 • Fax: 847-205-9004
Website: www.udevices.com

First there was 4 square...
and now the **REVOLUTIONARY 5 Square® Box!!**

You've struggled with 4 Square boxes for years - you know how small, cramped and time consuming they are. Finally, there is a solution that allows you the space you have always needed.

The **5 Square®** Boxes (5" x 5" x 2-7/8") provide up to 88 in³ of interior volume which more than doubles that of most existing boxes on the market.

Create a robust and unrivaled infrastructure for the life of your facility with the **5 Square®** Products!

RANDL
Industries
products are
BAA & BABA
compliant

Fire Signal



- TWICE THE VOLUME AS MOST BOXES
- SAVE LABOR...INCREASE PROFITS
- ELIMINATES TROUBLESHOOTING TIME AND COST
- FULLY UPGRADEABLE SYSTEM
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES
- AVAILABLE IN ZINC OR RED

Telecommunications



- INTEGRAL CABLE MANAGEMENT
- SAVE LABOR...INCREASE PROFITS
- FACILITATES MIN. BEND RADIUS REQUIREMENTS
- SUPPORTS CURRENT AND EVOLVING SYSTEMS
- SUPPORTS PoE PLUS
- SPECIFIED BY ENGINEERING FIRMS, HOSPITALS, UNIVERSITIES & GOVERNMENT AGENCIES



We're Proud to be the Electricians' Friend for Over 50 Years!

IP19

4-Conduit Block


Vertical support from only one 1/4", 3/8" or 1/2" threaded or threadless rods 1/4" or 3/8" threaded holes on the side along with slots for hex head bolts for hardware are provided for conduit support.

IP21a

QwikBlock

Vertical support from only one 1/4", 3/8" or 1/2" threaded rod by attaching two machine screws 1/4" x 20 thru the existing holes in back of the box. Eliminates knocking out center KO on box and traditional nut and washer method to support a single box.

New Products
Safer Better Faster




IP20a

Box Support Rod Cubes

Vertical support from only one 1/4" or 3/8" threaded or threadless rod with 4 holes for Gripple applications as well as 4 threaded 1/4" or 3/8" holes for conduit support hardware.

IP3e




PVC Guide

IP2b



PVC Driver

TE15



Conduit Layout Tool

IP3g



Long Slip PVC

IP3f



Slip PVC/RGD

IP4



EZ Raised Bracket

For more information visit our website at SPProducts.com

Plus More Being Invented for SAFER BETTER FASTER Jobs . . . Call With Your Ideas!

Emerson's Appleton™ Brand Delivers Compliance-Ready LED Lighting Built to Curb Light Pollution and Preserve Wildlife Habitats



As “dark skies” and wildlife protection legislation reshape outdoor lighting specifications around the globe, Emerson is proving that environmental responsibility and industrial-grade performance aren’t a trade-off but an engineering standard. Across its Appleton™ brand LED portfolio, Emerson has integrated dark sky compliant technology into select Mercmaster™, Areamaster™, Contender™, Wallmaster™, and

Baymaster™ Series LED luminaires, giving specifiers a single source for lighting that protects the night sky, safeguards essential wildlife habitats, and meets the industry’s most stringent environmental benchmarks without compromising the durability and safety performance Appleton is known for. From energy conservation and carbon reduction to public safety and astronomical research protection, dark sky and wildlife preservation regulations are no longer a niche

consideration. They are becoming a baseline requirement for responsible infrastructure development worldwide. Compliance-ready Appleton lighting ensures customers are ready for what’s already here and what’s coming next.

DarkSky International: The Gold Standard

DarkSky™ luminaires are fixtures certified by the International Dark-Sky Association (IDA) or engineered to meet its principles. DarkSky



CANNON iK

ELIMINATE HAND PULLS & INCREASE JOBSITE EFFICIENCIES.



Coastal zones, nesting grounds, and other sensitive habitats demand a fundamentally different lighting approach — and Appleton’s Wildlife Friendly solutions are engineered around three core principles that meet the strictest ecological protection standards — Spectrum Selection, Low-Profile Deployment and Directional Shielding

certification represents the benchmark for light pollution control. Emerson’s DarkSky-compliant technology is built to satisfy every dimension of that benchmark:

- **Uplight control:** Limited to just 0.5% of total output or 50 lumens maximum, with a strict 10-lumen cap in the 90–100° uplight zone. Any uplight present must result from a fixture’s structure, never the source itself, ensuring full shielding throughout.
- **Precision mounting:** Fixed photometry-verified installation with a maximum ±10° adjustment allowance for leveling only.
- **Adaptive dimming:** Mandatory dimming capability down to 10% of full rated output.
- **Warm spectrum compliance:** Maximum correlated color temperature (CCT) of 3000K.

For applications that need more installation freedom, Emerson’s Light Pollution Friendly product lines meet DarkSky photometric performance standards while offering enhanced mounting versatility beyond the ±10° compliant leveling range. Luminaires are installed downward to preserve both performance and compliance integrity.

Built for the World’s Strictest Regulatory Zones: Chile MMA

Chile’s Ministry of Environment

(MMA) standards are among the most demanding light-pollution regulations on Earth, and Appleton’s engineering is built to meet them head-on:

- Zero uplight tolerance at 90 degrees
- Downward-facing installation required, unless equipped with a visor which permits installation at up to a 50-degree maximum angle
- Zone-specific blue-light limits: Zone A (astronomy and biodiversity protection) permits just 1% maximum visible blue spectrum content; Zone B (general areas) permits up to 7%.

Purpose-Built to Minimize Ecological Impact

Coastal zones, nesting grounds, and other sensitive habitats demand a fundamentally different lighting approach — and Appleton’s Wildlife Friendly solutions are engineered around three core principles that meet the strictest ecological protection standards:

- **Spectrum selection:** Amber, orange, or red LEDs that are demonstrably less disruptive to wildlife behavior.
- **Low-profile deployment:** Fixtures mounted close to ground level, running at only the minimum brightness necessary to eliminate light visibility from beach and shoreline areas.
- **Directional shielding:** Every luminaire aimed or shielded

downward, eliminating shoreline glow and minimizing skyward light pollution at the source.

Together, these principles allow infrastructure operators to light critical spaces — safely and code-compliantly — without disrupting the ecosystems around them.

“Regulations protecting dark skies and wildlife are advancing faster than most lighting manufacturers can keep up with,” said Jami Thornton, Manager of Lighting Product Marketing for Appleton. “Appleton lighting was built for demanding environments long before compliance became a global priority, so extending our engineering discipline to comply with these important regulations was a natural next step in our product portfolio evolution. Our customers receive lighting that meets the strictest standards on the planet, whether that’s DarkSky International, Chile’s MMA zoning requirements, or coastal wildlife protections, without sacrificing the reliability their operations depend on.”

This latest expansion reinforces Emerson’s broader commitment to environmental responsibility through engineering solutions that reduce energy waste, protect natural ecosystems, and help customers meet tightening global regulatory requirements.

To learn more visit Emerson online at www.masteringled.com/smartled. □



Affordable test equipment for 2026



Spitfire - Buried Low Voltage Cable Fault Locator

- ◆ Accurate
- ◆ Easy to use
- ◆ High energy output
- ◆ Proven reliability
- ◆ Compact design
- ◆ Lightweight

Wayfind'r - Impulse cable tracer

- ◆ Accurate
- ◆ Easy to use
- ◆ Connects directly to energized cables
- ◆ Distinct signal for easy tracing
- ◆ Traces direct buried and cables in conduit
- ◆ Rugged, compact design

Impulse Phaser - Cable / phase system

- ◆ Accurately identifies cables in trenches, vaults, conduits and enclosures
- ◆ Accurately identifies phases in multi-conductor cables
- ◆ Identifies jacketed, shielded, cables, even in pipe
- ◆ Easy to understand and use



TIMCO INSTRUMENTS, LLC

Phone: (401) 539-7120 Fax: (401) 539-6018

www.timcoinstruments.com



Personal Protective Equipment

In the coming weeks, Milwaukee® will be announcing the Class 2 Women's Yellow High Visibility Performance Safety Vest, designed to provide the best fit while carrying more, and the Class 2 Women's Yellow High Visibility Safety Vest, designed to deliver the best fit for women on the jobsite.

Our ANSI Type R Class 2 High Visibility Performance Safety Vests are designed to carry more. These hi-vis safety vests have 15 pockets, including a clear ID holder, rear tablet pocket, and three internal pockets that provide you with added storage. The front pockets are reinforced with durable 600D tear-resistant materials to withstand rough jobsite conditions. Milwaukee incorporated a comfortable padded collar to reduce pressure around your neck. The quick internal size adjustment creates a better fit for you, allowing our MILWAUKEE® adjustable safety vests to be worn in the summer over a t-shirt or in the winter over a jacket. Class 2 high visibility safety reflective vests are recommended when working in environments with traffic traveling under 50 mph or when working around heavy machinery. This includes construction, road construction, traffic direction, utility crews, and survey crews. Yellow or orange safety vests color options are available, as well as vests with CSA compliance. These safety vests are customizable by adding your logo.



For more information, visit www.milwaukeetool.com



EasyHeat™ PSR Pre-Terminated Self-Regulating Cable by Emerson Delivers Smart Freeze Protection for Roofs, Gutters and Pipes

Plug-in, pre-assembled 120 Vac cable automatically adjusts heat output to outdoor conditions, guarding commercial and residential buildings against ice dams and frozen pipes while optimizing energy use

Winter's most expensive damage often begins with a few inches of ice. Emerson helps facility managers, contractors and homeowners get ahead of it with its EasyHeat PSR pre-terminated self-regulating heating cable, an outdoor-rated electric heat-trace system engineered for roof and gutter de-icing and pipe freeze protection. PSR delivers consistent, dependable heat exactly where ice forms and dials itself back when it isn't needed.

The Cost of a Hard Freeze

Ice dams form when snow melts on a warm roof and refreezes at the cold eaves and gutters. Trapped meltwater backs up under shingles, soaking decking, insulation, ceilings and walls. Clogged downspouts and heavy icicles add structural load and safety hazards at entrances and walkways.

Below the roofline, a single frozen pipe can split and flood a mechanical room, crawlspace or tenant space. For commercial properties, that means repair bills, downtime and insurance claims. For homeowners, it means torn-out drywall and ruined belongings. Nationwide, ice and freezing conditions contribute to tens of millions of dollars in residential and commercial property damage each winter, underscoring the significant financial cost of winter-related building failures.

Heat That Thinks for Itself

At the core of every EasyHeat PSR cable is a parallel-resistance, self-regulating heating element. As the surrounding temperature drops, the core's heat output rises along the entire cable length. As temperatures climb, output falls automatically.

The result is targeted heat where conditions are coldest and lower energy draw everywhere else so there's no wasted watts on mild days. Because each section of cable responds to its own local temperature, PSR can even be overlapped on itself without overheating or premature failure, and no separate thermostat is required for operation.

For more information, visit www.appleton.emerson.com/easyheat

B2 RAPID FIRE BENDER WITH TOUCH CONTROL

BEND UP TO 2" EMT, IMC, RIGID OR ALUMINUM CONDUIT WITH ONE SHOE

CONDUIT TYPE	CONDUIT SIZE (IN)	BEND RADIUS (IN)	BEND ANGLE (DEG)
EMT	1/2	10	90
	3/4	12	90
	1	15	90
	1 1/2	20	90
IMC	1/2	10	90
	3/4	12	90
	1	15	90
	1 1/2	20	90
RIGID	1/2	10	90
	3/4	12	90
	1	15	90
	1 1/2	20	90
ALUMINUM	1/2	10	90
	3/4	12	90
	1	15	90
	1 1/2	20	90

STOP SEARCHING FOR CORRECT BEND ANGLES

STORE UP TO 5 OF YOUR FAVORITE BRANDS

TOP PRODUCTS Electrical Products & Solutions 2025

IToolCo.




SP PRODUCTS, INC.
Productivity and value thru ideas
FOR SAFER BETTER FASTER JOBS

2026 NECA
ShowStopper
WINNER

HDPE Conduit to EMT



Using Polywater® BonDuit® Conduit Adhesive
creates a permanent watertight/airtight seal
connecting EMT to HDPE.



*Stronger pullout strength than
most mechanical couplings.*



BonDuit and BonDuit XI are
UL recognized and was tested
to UL standard 746C.

PATENT
PENDING



**Transitions from
HDPE to EMT in
minutes**

**Great for wiring
transformers,
solar systems
& pumps.**

All SP Products Inc. Transition
Fittings are manufactured for
installation to either meet or
exceed in accordance with NEMA
TC2, TC3 or UL 651 specifications

1/2" thru 4"

Transition Couplings

Size	Catalog #
1/2"	50-HDPE-EMT
3/4"	75-HDPE-EMT
1"	100-HDPE-EMT
1-1/4"	125-HDPE-EMT
1-1/2"	150-HDPE-EMT
2"	200-HDPE-EMT
2-1/2"	250-HDPE-EMT
3"	300-HDPE-EMT
3-1/2"	350-HDPE-EMT
4"	400-HDPE-EMT

SP PRODUCTS, INC.
Productivity and value thru ideas



PATENT PENDING
PATENTED



LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE

730 Pratt Boulevard • Elk Grove Village, IL 60007
P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595
E: info@spproducts.com • www.spproducts.com

IP13ii

NEWPRODUCTS

Ruselectric, A Siemens Business, Highlights Advantages of Central Paralleling Systems
Delivers Redundancy, Scalability, and High-Integrity Control for Mission Critical Power

Ruselectric, A Siemens Business, a leading manufacturer of power control systems and automatic transfer switches, highlights the value of centralized paralleling systems for applications requiring maximum control precision, system resilience, and operational visibility.

Unlike onboard paralleling, where synchronization and control components are mounted directly on or near each generator, centralized architectures consolidate all control functionality in a dedicated switchgear environment. This approach enables hot-standby PLCs, manual backup control, discrete analog metering, and detailed event logging. These are all essential features for providing uninterrupted power to critical infrastructure like hospitals, data centers, and industrial campuses.

Centralized systems provide superior redundancy and scalability, allowing operators to monitor and manage all generators from a clean, climate-controlled location away from engine rooms that are often harsh, hot, and contaminated by diesel particulates. Real-time synchronization logic, configured for tighter parameters and faster resolution, reduces mechanical stress on generator breakers and improves performance during complex transitions or load variations.

In contrast, onboard solutions, though suitable for small-scale, non-critical systems, can lack necessary redundancy and manual control capabilities, often relying on proprietary vendor logic and shared communications between generator controllers. This can hinder troubleshooting, limit customization, and complicate system expansion, particularly when integrating generators from multiple manufacturers.

Ruselectric's centralized control solutions are available for both low and medium voltage applications and built to robust industry standards, including UL 1558 and DLAH listings. Their systems incorporate dual PLC architectures, discrete analog controls, and programmable load demand functions, ensuring unmatched reliability and flexibility across all project types.

Whether powering an advanced healthcare facility or a large data center, Ruselectric's centralized power control systems offer future-ready infrastructure for organizations that cannot afford downtime.



For more information, visit www.ruselectric.com



Liquatite® Antimicrobial Food Grade Conduit for Safe, Sanitary Processing Environments

Electri-Flex Company has released a new video showcasing its Food Grade Liquatite® flexible conduit solutions designed to help protect electrical wiring in food processing, pharmaceutical, bottling, healthcare, and clean room environments. These installations prioritize food safety, sanitation, regulatory compliance, and equipment reliability, so selecting the proper wiring protection system is critical. Food Grade Liquatite® conduits provide durable, flexible, liquidtight protection while supporting rigorous washdown and sanitary requirements.

Watch the latest video to learn how Food Grade Liquatite® conduit solutions help manufacturers protect critical electrical systems in demanding food processing environments.

Electri-Flex offers four Food Grade Liquatite® conduit options: Types LAFG, LAFG-SS, NMFG, and LNMP-Food Grade. These conduits are engineered with features specifically developed for food and beverage applications, including FDA-approved jacketing, smooth exterior for easy washdowns, resistance to sodium hypochlorite (bleach), and a liquidtight construction. Certified to meet demanding industry standards, Food Grade Liquatite® conduits are UL Listed, NSF Certified Components, compliant with FDA CFR 21 requirements, and meet NSF 51/61 standards.

Types LAFG, LAFG-SS, and LNMP-Food Grade feature antimicrobial blue PVC jacketing designed to inhibit the growth of commonly known food processing microbes, including E. coli, Listeria, and Salmonella. The distinctive blue color enhances product safety by making conduit fragments easier to identify should accidental damage occur within processing areas. These conduit types also offer an extended temperature range up to -37°C to 105°C, making them suitable for installations near freezers, high-temperature processing equipment, and frequent hot-water washdowns.

For more information, visit www.electriflex.com

AUTHORIZED DISTRIBUTOR OF



Class 00 Arc Flash Glove Kit

Class 00 arc flash glove kit from Cementex is a good option for a reliable kit for work with 500 Volts or less. The gloves are made of natural rubber construction, offering the required dielectric properties combined with flexibility, strength, and durability. Gloves feature rolled cuffs, and are anatomically shaped thereby reducing hand fatigue. Each glove is chlorinated for maximum comfort.

- Components of Cementex IKG00-11 glove kit:**
- 11" long Class 00 rubber insulating gloves
 - Leather protectors
 - Canvas storage bag

Cementex

The Safety Tool Specialists

Deluxe Geared Maintenance Tool Kit

- Cementex Double-insulated Tools:**
- Comply with the IEC 900 standard
 - Comply with ASTM F1505-01 standard
 - Help you meet requirements of OSHA Safety Related Work Practices, NFPA 70E Standard and CSA-Z462
- Cementex Double-insulated Tools are:**
- Tested to 10,000 VAC and rated for 1,000 VAC when working on live parts
 - Manufactured in the USA with domestic and global materials.
 - Marked with the international safety symbol – (double triangle) 1000V



CALL US TODAY
(703) 367-0404

OR VISIT OUR ONLINE ELECTRICAL SAFETY EQUIPMENT STORE
www.electricalsafetyequipment.com

NEWPRODUCTS

Southwire Announces Launch of 15A Floor Box Kits

Southwire Company, LLC, announces the launch of its round and rectangular 15 A Floor Box Kits.

The 15A Floor Box Kits are used to provide a place for electrical power in a floor for residential and light commercial builds. These boxes can be installed in carpet, tile or wood floors. These are ideal for use in conjunction with electric furniture (like heated recliners or power-assisted lift chairs), countertops, office furniture, laboratory tables or anywhere AC power is needed.

Features and Benefits:

- Comes with complete, ready-to-install kits to reduce complexity by consolidating components into one complete, readytoinstall solution
- Drop-in installation design
- Two cover styles for different spaces; choose low-profile screw-in plugs or a clean pop-up cover within the same floor box family
- Pop-up cover design retracts when not in use and comes with an adjustable box
- Designed to simplify installs and reduce the risk of rework in finished floors
- Consistent finish options across the line maintain visual continuity across rooms and projects

For more information, visit www.southwire.com



DON'T MISS OUT!

Does your product help to increase profits or improve safety and overall working conditions for the electrical contractor? If so, don't forget to submit your product for nomination as one of *Electrical Products & Solutions'* "TOP PRODUCTS OF 2026". All the winners will be featured in our December issue.

Deadline: December 6, 2026

Requirements:

Submit a high resolution photo (300 dpi) of your product, along with a brief description (up to 150 words). Please note on your submission that it is for consideration for *Top Products*.

E-mail: danny@epsmag.net

or mail to: Electrical Products & Solutions
2009 Eagle Ridge Drive, Birmingham, AL 35242



Galvanized Rigid Transition Couplings to Schedule 40/80 PVC Stub-Up

When Concrete is Poured and Metal Below the Slab is Needed



Save at Least 1 Hour per Installation.



Transitions in Less Than 5 Minutes!

Save Cost on the Rigid Nipple, Tape & Labor

Use for Entire Job - Not Just for Repair



PATENT PENDING




1/2" thru 6"

Transition Couplings	
Size	Catalog #
1/2"	50-PVC-R-GRC
3/4"	75-PVC-R-GRC
1"	100-PVC-R-GRC
1-1/4"	125-PVC-R-GRC
1-1/2"	150-PVC-R-GRC
2"	200-PVC-R-GRC
2-1/2"	250-PVC-R-GRC
3"	300-PVC-R-GRC
3-1/2"	350-PVC-R-GRC
4"	400-PVC-R-GRC
5"	500-PVC-R-GRC
6"	600-PVC-R-GRC

Saves a great deal of time transitioning from PVC conduit to Rigid Conduit above slab without damaging PVC risers and chipping concrete eliminating a concrete repair job!

All SP Products Inc. Transition Fittings are manufactured for installation to either meet or exceed in accordance with NEMA TC2, TC3 or UL 651 specifications

All Above Meet UL651 CSA C22.2, No.85 and US Army Corps Engineers Specifications



Customer must satisfy all codes and owners' specifications.



PATENT PENDING
PATENTED



LABELS APPLY TO PRODUCTS ONLY WHERE SHOWN ABOVE

730 Pratt Boulevard • Elk Grove Village, IL 60007
P: (847) 593-8595 • F: (847) 593-8629 • Toll-free (800) 233-8595
E: info@spproducts.com • www.spproducts.com

ADVERTISER INDEX

This advertiser index is compiled as a courtesy to our readers. While every effort is made to provide a complete and accurate listing of companies and page numbers, the publisher is not responsible for errors. **Click the company name or page number to see their advertisement.**

Company	PG#	Company	PG#
APPLETON / EMERSON	13	MILLER SAFETY CONSULTANTS LTD	29
APPLETON / EMERSON	15	RANDL INDUSTRIES	18
BASETEK, LLC	3	SP PRODUCTS INC	1
CONDUIT REPAIR SYSTEMS	4	SP PRODUCTS INC	19
iTOOLco	IFC	SP PRODUCTS INC	26, 27
iTOOLco	21	SP PRODUCTS INC	31
iTOOLco	25	SP PRODUCTS INC	BC
iTOOLco	IBC	TIMCO INSTRUMENTS	23
KRENZ & COMPANY	32	UNDERGROUND DEVICES	5
LIGHT + INTELLIGENT BUILDING SHOW	11	UNDERGROUND DEVICES	17
MILLER SAFETY CONSULTANTS LTD	7		

When it comes to transformer cooling fans, Krenz-Vent is the industry recognized gold standard. Our leadership position is earned through 80+ years of R&D plus our superior engineering and customer service. You can rest easy when you specify Krenz fans.

ENGINEERED TO COOL

There is no comparison.

KRENZ & COMPANY, INC.

KRENZVENT.COM • 262.255.2310 • KRENZ@KRENZVENT.COM

ALL THE INFORMATION YOU NEED IS JUST A CLICK AWAY AT **WWW.EPSMAG.NET**

Electrical
Products & Solutions

MADE IN THE U.S.A.
HEAVY DUTY NON-METALLIC CABLE RACKS

HOME ARTICLES NEWS VIDEOS PRODUCTS RETAILER CONTACT

Durable, Long-Lasting Cable Markers Speed Underground Fault Response

WHAT'S NEW

- REPAIR CONDUIT...
- DMF Lighting Introduces Enhanced H Series Downlighting Solution
- Appleton Releases Next Generation of FWL LED Wall Packs with Broader Lumen Range and Integrated Photocell
- Multi-Wattage & Color Selectable Omni-Cell Lamps
- EXTECH.COM IS NOW LIVE!
- Leviton Introduces the
- Newly Launched Exttech.com
- Milwaukee® Introduces BOLT™

CORDLESS CANNON 6K

iTOOLco.
WWW.iTOOLco.com | 865.670.3713

f i t y in

TOP PRODUCTS
Electrical
2022

Speed, versatility, and performance are all yours with iTOOLco's Cordless Cannon 6K™. This portable 6,000 lb. puller is intuitively designed to handle all of your day-to-day wire pulls.

The built-in capstan switch automatically turns the puller on and off. Simply tug on the rope to start the pull and slack off the rope to shut it down. Delivers dynamic performance in remote locations or areas where power is not yet available.

32 | Electrical Products & Solutions | OCTOBER 2026



SPPRODUCTS, INC.

Productivity and value thru ideas
FOR SAFER BETTER FASTER JOBS



We're Proud to be the Electricians' Friend for Over 50 Years!

IP5

"The Original"

Enter Any KO on Both Sides of the Box



IP19/20

4-Conduit Block
PATENTED


IP21a

QwikBlock
PATENT PENDING


Use 4-Conduit Block (IP19 or IP20) with QwikBlock (IP21a)

IP6d

2-Way
with Split Fingers for Horizontal or Vertical Installation



Our Family of Conduit & Box Support Plates Saves Valuable Time & Money!



IP6

4-Way


Enter Any KO on All 4 Sides of the Box Plus 4 Large Open KOs in Center Allows Entering Back of Box



IP6a

2-Way/Half

Enter Any KO on 1 or 2 Sides of the Box Plus Large Open KOs in Center Allows Entering Back of Box



PATENT PENDING

IP7

4-Way

with Split Fingers for Horizontal or Vertical Installation. Enter Any KO on All 4 Sides of the Box Plus 4 Large Open KOs in Center Allows Entering Back of Box.

IP8

Mount Horizontally or Vertically from One Single Support

20 x 20

Supports up to 12 x 12 J-Box

28 x 28

Supports up to 20 x 20 J-Box

MADE IN THE USA!

Plus More Being Invented for **SAFER BETTER FASTER** Jobs . . . Call With Your Ideas!

SPProducts.com **800-233-8595** info@SPProducts.com